

A LIST OF THE TYPE SPECIES OF THE GENERA AND  
SUBGENERA OF FORMICIDÆ<sup>1</sup>

BY WILLIAM MORTON WHEELER

(Presented by title before the Academy, 16 October, 1911)

Although at the present time the taxonomy of the Formicidæ is in much less confusion than that of many other families of Hymenoptera, there is nothing to indicate that this fortunate state of affairs will survive the present generation of conservative myrmecologists. And, as it is very generally conceded that confusion in taxonomy often arises from a failure to recognize generic types, it seems advisable to publish a list of these for the Formicidæ. This is the more urgent, because Shuckard, Emery and Bingham are almost the only authors who have expressly designated type species of these insects. Being as firmly convinced as Emery and Forel that the subgenus as well as the subspecies and variety is, at least heuristically, a useful and valid category, I have recognized the subgeneric types as such in the following list and have not followed the example of those entomologists who, in similar lists, either ignore the subgeneric category or throw all or most subgeneric names into the synonymy. I have verified nearly all the bibliographic references cited below, but for a few of them from obscure and antiquated sources I have had to rely on Dalla Torre's "Catalogus Hymenopterorum." The list of genera and subgenera both living and fossil is, I believe, complete up to June, 1911.

**Acamatus** EMERY. Bull. Soc. Ent. Ital., XXVI, p. 184. 1894. (Subgenus of *Eciton*.)

Type: *Eciton* (*Acamatus*) *schmitti* Emery (by present designation).

**Acanthognathus** MAYR. Verh. zool. bot. Ges. Wien, XXXVII, p. 578. 1887.

Type: *Acanthognathus ocellatus* Mayr (monobasic).

**Acantholepis** MAYR. Europ. Formicid., p. 42. 1861.

Type: *Hypoclinea frauenfeldi* Mayr (monobasic).

**Acanthomyops** MAYR. Verh. zool. bot. Ges. Wien, XII, p. 699. 1862. (Subgenus of *Lasius*.)

Type: *Formica clavigera* Roger (by present designation).

**Acanthomyrmex** EMERY. Bull. Soc. Ent. France, LXI, p. CCLXXVI. 1892.

Type: *Acanthomyrmex luciola* Emery (designated by Bingham, 1903).

<sup>1</sup>Contributions from the Entomological Laboratory of the Bussey Institution, Harvard University, No. 40.

- Acanthoponera** MAYR. Verh. zool. bot. Ges. Wien, XII, p. 732. 1862.  
Type: *Ponera mucronata* Roger (by present designation).
- Acanthostichus** MAYR. Verh. zool. bot. Ges. Wien, XXXVII, p. 549. 1887.  
Type: *Typhlopone serratula* F. Smith (monobasic).
- Acrocœlia** MAYR. Verh. zool. bot. Ver Wien, II, p. 146. 1852. (= *Cremastogaster*.)  
Type: *Acrocœlia ruficeps* Mayr (= *Cremastogaster scutellaris* Oliv.).
- Acromyrmex** MAYR. Novara Reise Formicid., p. 83. 1865. (Subgenus of *Atta*.)  
Type: *Formica hystria* Latreille (= *Formica octospinosa* Reich).
- Acropyga** ROGER. Berlin. Ent. Zeitschr., VI, p. 242. 1862.  
Type: *Acropyga acutiventris* Roger (monobasic).
- Acrostigma** EMERY. Mem. Accad. Sci. Bologna, (5) I, p. 575. 1891.  
Type: *Acrostigma mayri* Emery (monobasic).
- Acrostigma** FOREL. Rev. Suisse Zool., X, p. 477. 1902. (= *Stigmacros*; Subgenus of *Acantholepis*.)  
Type: *Acantholepis (Acrostigma) froggatti* Forel (first of four species by present designation).
- Adelomyrmex** EMERY. Termes. Füzetek, XX, p. 590. 1987.  
Type: *Adelomyrmex birai* Emery (monobasic).
- Adlerzia** FOREL. Rev. Suisse Zool., X, p. 445. 1902. (Subgenus of *Monomorium*.)  
Type: *Monomorium (Adlerzia) froggatti* Forel (monobasic).
- Ænictogiton** EMERY. Bull. Soc. Ent. Ital., XXXIII, p. 49. 1901.  
Type: *Ænictogiton fusciceps* Emery (monobasic).
- Ænictus** SHUCKARD. Ann. Mag. Nat. Hist., V, p. 266. 1840.  
Type: *Ænictus ambiguus* Shuckard (designated by Shuckard, 1840).
- Aëromyrma** FOREL. Grandidier's Hist. Madagascar, XX, p. 198. 1891.  
Type: *Aëromyrma nosindambo* Forel (monobasic).
- Agrocomyrmex** WHEELER. Bull. Amer. Mus. Nat. Hist., XXVIII, p. 265. 1910.  
Type: *Myrmica duisburgi* Mayr (monobasic).
- Alaopone** EMERY. Ann. Mus. Civ. Stor. Nat. Genova, XVI, p. 274. 1881. (Subgenus of *Dorylus*.)  
Type: *Alaopone oberthueri* Emery = *Dorylus orientalis* Westwood (designated by Emery, 1910).<sup>1</sup>
- Alfaria** EMERY. Bull. Soc. Ent. Ital., XXVIII, p. 9. 1896.  
Type: *Alfaria simulans* Emery (monobasic).
- Allomerus** MAYR. Verh. zool. bot. Ges. Wien, XXVII, p. 873. 1877.  
Type: *Allomerus decemarticulatus* Mayr (by present designation).
- Amblyopone** ERICHSON. Arch. f. Naturg., VIII, p. 260. 1841.  
Type: *Amblyopone australis* Erichson (monobasic).
- Ancylognathus** LUND. Ann. Sci. Nat., XXIII, p. 121. 1831. (= *Ecton*.)  
Type: *Ancylognathus lugubris* Lund = ? *Ecton lugubre* F. Smith.
- Aneleus** EMERY. Termes. Füzetek, XXIII, p. 327. 1900. (Subgenus of *Pheidologeton*.)  
Type: *Solenopsis similis* Mayr (monobasic).

<sup>1</sup> Ashmead, 1906, gives *A. carteri* Shuckard as the type, but this is evidently a misprint for *curtisi*, which is a synonym of *D. orientalis*.

- Anergates** FOREL. Denkschr. Schweiz. Ges. Naturw., XXVI, pp. 29, 33, 35, 93. 1874.  
Type: *Myrmica atratula* Schenck (monobasic).
- Aneuretus** EMERY. Ann. Soc. Ent. France, p. 241. 1893.  
Type: *Aneuretus simoni* Emery (monobasic).
- Anochetus** MAYR. Europ. Formicid., p. 53. 1861.  
Type: *Odontomachus ghilianii* Spinola (designated by Bingham, 1903).
- Anomma** SHUCKARD. Ann. Mag. Nat. Hist., V, p. 326. 1840. (Subgenus of *Dorylus*.)  
Type: *Anomma burmeisteri* Shuckard = *Dorylus nigricans* Illiger (designated by Shuckard, 1840).
- Aphænogaster** MAYR. Verh. zool. bot. Ges. Wien, III, p. 107. 1853.  
Type: *Aphænogaster sardoa* Mayr (designated by Bingham, 1903).
- Aphomomyrmex** EMERY. Ann. Soc. Ent. Belg., XLIII, p. 493. 1899.  
Type: *Aphomomyrmex afer* Emery (by present designation).
- Apsychomyrmex** WHEELER. Bull. Amer. Mus. Nat. Hist., XXVIII, p. 261. 1910.  
Type: *Apsychomyrmex myops* Wheeler (monobasic).
- Apterostigma** MAYR. Novara Reise Formicid., pp. 25 and 111. 1865.  
Type: *Apterostigma pilosum* Mayr (monobasic).
- Arotropus** PROVANCHER. Natural. Canad., XII, p. 205. 1881. (= *Stigmatomma*.)  
Type: *Arotropus binodosus* Provancher = *Stigmatomma pallipes* Halde-  
man (monobasic).
- Asemorhoptrum** MAYR. Europ. Formicid., p. 71. 1861. (= *Stenamma*.)  
Type: *Asemorhoptrum lippulum* Mayr = *Stenamma westwoodi* Westwood  
(monobasic).
- Atopogyne** FOREL. Bull. Soc. Vand. Sci. Nat. (5) XLVII, p. 342. 1911. (Sub-  
genus of *Cremastogaster*.)  
Type: *Cremastogaster (Atopogyne) hellenica* Forel (By present designa-  
tion).
- Atopomyrmex** ERN. ANDRÉ. Rev. d'Entom., VIII, p. 226. 1889.  
Type: *Atopomyrmex mocquerysi* Ern. André (monobasic).
- Atta** FABRICIUS. System. Piez., p. 421. 1804.  
Type: *Formica cephalotes* Linn (first species by present designation).
- Attopsis** HEER. Denkschr. Schweiz. Ges. Naturw., X, p. 155. 1850.  
Type: *Attopsis longipennis* Heer (first species by present designation).
- Azteca** FOREL. Bull. Soc. Vand. Sci. Nat., (2) XV, p. 384. 1878.  
Type: *Tapinoma instabilis* F. Smith = *Liometopum ? xanthochroum* Roger  
(designated).
- Basiceros** SCHULZ, *nom. nov.* for *Ceratobasis* F. SMITH *nom. præocc.* Spolia.  
Hymenopt., p. 156. 1906.  
Type: *Meranoplus singularis* F. Smith (monobasic).
- Belonopelta** MAYR. Sitzbr. Akad. Wiss. Wien, LXI, p. 394. 1870.  
Type: *Belonopelta attenuata* Mayr (monobasic).
- Bondroitia** FOREL. Bull. Soc. Vand. Sci. Nat. (5) XLVII, p. 398. 1911. (Sub-  
genus of *Diplomorium*.)  
Type: *Diplomorium (Bondroitia) lujæ* Forel. (First of two species, by  
present designation.)

- Bothriomyrmex** EMERY. Ann. Mus. Zool. Univ. Napoli, V, p. 117. 1865 (1869).  
Type: *Bothriomyrmex costæ* Emery = *Tapinoma meridionale* Roger (monobasic).
- Bothroponera** MAYR. Verh. zool. bot. Ges. Wien, XII, p. 717. 1862. (Subgenus of *Pachycondyla*).  
Type: *Ponera pumicosa* Roger (designated by Emery, 1901).
- Brachomyrmex** MAYR. Ann. Soc., Nat. Modena, III, p. 163. 1868.  
Type: *Brachomyrmex patagonicus* Mayr (monobasic).
- Brachyponera** EMERY. Ann. Soc. Ent. Belg., XLV, p. 43. 1901. (Subgenus of *Euponera*).  
Type: *Ponera sennaarensis* Mayr (designated by Emery, 1901).
- Bradoponera** MAYR. Beitr. Naturk. Preuss., I, p. 73. 1868.  
Type: *Bradoponera meieri* Mayr (monobasic).
- Calomyrmex** EMERY. Zool. Jahrb. Abth. f. Syst., VIII, p. 772. 1895.  
Type: *Formica lavissima* F. Smith (by present designation).
- Calyptites** SCUDDER. Rep. Progr. Geol. Surv. Canada for 1877, p. 270.  
Type: *Calyptites antediluviana* Scudder (monobasic).
- Calyptomymex** EMERY. Ann. Mus. Civ. Stor. Nat. Genova, XXV, p. 472. 1887.  
Type: *Calyptomymex beccarii* Emery (monobasic).
- Campomyrma** WHEELER. Science, n. s., XXXIII, p. 860. 1911. (Subgenus of *Myrma*).  
Type: *Polyrhachis clypeata* Mayr (designated by Wheeler, 1911).
- Camponotus** MAYR. Europ. Formicid., p. 35. 1861.  
Type: *Formica ligniperda* Latreille (designated by Bingham, 1903).
- Camptognatha** WESTWOOD. Griffith. Anim. Kingd., XV, 5, p. 16. 1832.  
(= *Eciton*.)  
Type: *Formica humata* Fabricius (monobasic).
- Cardiocondyla** EMERY. Ann. Acc. Asp. Nat. Naples, Era 2, II, p. 20. 1869.  
Type: *Cardiocondyla elegans* Emery (monobasic).
- Carebara** WESTWOOD. Ann. Mag. Nat. Hist., VI, p. 86. 1841.  
Type: *Carebara lignata* Westwood (monobasic).
- Carebarella** EMERY. Bull. Soc. Ent. Ital., XXXVII, p. 137. 1905.  
Type: *Carebarella bicolor* Emery (monobasic).
- Cataglyphis** FÖRSTER. Verh. Naturh. Ver. Preuss. Rheinl., VII, p. 493. 1850.  
(Subgenus of *Myrmecocystus*).  
Type: *Formica megalocola* Förster (worker); *Cataglyphis fairmairi* Förster (male) (monobasic).
- Cataulacus** F. SMITH. Trans. Ent. Soc. London, (2) II, p. 225. 1853.  
Type: *Cataulacus taprobanae* F. Smith (designated by Bingham, 1903).
- Centromyrmex** MAYR. Verh. zool. bot. Ges. Wien, XVI, p. 894. 1866.  
Type: *Centromyrmex bohemani* Mayr (monobasic).
- Cephalotes** LATREILLE. Hist. Nat. Crust. et Insect., III, p. 357. 1802.  
(= *Atta*.)  
Type: *Formica cephalotes* Linné.
- Cephaloxys** F. SMITH. Journ. Proc. Linn. Soc. Zool., VIII, p. 76. 1864.  
(= *Strumigenys*.)  
Type: *Cephaloxys capitata* F. Smith (monobasic).
- Cerapachys** F. SMITH. Journ. Proc. Linn. Soc. Zool., II, p. 74. 1857.  
Type: *Cerapachys antennatus* F. Smith (monobasic).

- Ceratobasis** F. SMITH. Journ. of Entom., I, p. 78. 1861. (= *Basiceros*.)  
Type: *Meranoplus singularis* F. Smith (monobasic).
- Ceratopheidole** PERGANDE. Proc. Calif. Acad. Sci., (2) V, p. 889. 1895. (Subgenus of *Pheidole*.)  
Type: *Pheidole (Ceratopheidole) granulata* Pergande (monobasic).
- Champsomyrmex** EMERY. Ann. Soc. Ent. France, LX, p. 558, *nota*. 1891.  
Type: *Odontomachus coquereli* Roger (monobasic).
- Cheliomyrmex** MAYR. Verh. zool. bot. Ges. Wien, XX, p. 968. 1870.  
Type: *Cheliomyrmex nortoni* Mayr (monobasic).
- Colobopsis** MAYR. Europ. Formicid., p. 38. 1861. (Subgenus of *Camponotus*.)  
Type: *Formica truncata* Spinola.
- Condylodon** LUND. Ann. Sci. Nat., XXIII, p. 131. 1831. (= *Pseudomyrma*.)  
Type: *Condylodon audouini* Lund.
- Cosmacetes** SPINOLA. Mem. Accad. Torino, (2) XIII, p. 70. 1851.  
(= *Typhlopone*.)  
Type: *Cosmacetes omalinus* Spinola = *Typhlopone fulva* Westwood.
- Cratomyrmex** EMERY. Ann. Soc. Ent. France, p. 572. 1892.  
Type: *Cratomyrmex regalis* Emery (monobasic).
- Cremastogaster** LUND. Ann. Sci. Nat., XXIII, p. 132. 1831.  
Type: *Formica scutellaris* Olivier (designated by Bingham, 1903).
- Cryptocerus** LATREILLE. Hist. Nat. Ins., XIII, p. 260. 1805.  
Type: *Formica atrata* Linné (monobasic).
- Cryptopone** EMERY. Bull. Soc. Ent. France, LXI, p. CCLXXV. 1892.  
Type: *Amblyopone ? testacea* Motschulsky (monobasic).
- Ctenopyga** ASHMEAD. Canad. Ent., XXXVII, p. 382. 1905.  
Type: *Ctenopyga townsendi* Ashmead (designated by Ashmead, 1905).
- Cylindromyrmex** MAYR. Verh. zool. bot. Ges. Wien, XX, p. 967. 1870.  
Type: *Cylindromyrmex striatus* Mayr (monobasic).
- Cyphomyrmex** MAYR. Verh. zool. bot. Ges. Wien, XII, p. 690. 1862.  
Type: *Cryptocerus ? rimosus* Spinola (by present designation).
- Cysias** EMERY. Rend. Accad. Sci. Bologna, n. s., VI, p. 24. 1902. (Subgenus of *Cerapachys*.)  
Type: *Cerapachys papuanus* Emery (designated by Emery, 1902).
- Daceton** PERTY. Delect. Animal Artic. Brasil, p. 136. 1833.  
Type: *Formica armigera* Latreille (monobasic).
- Dacryon** FOREL. Ann. Soc. Ent. Belg., XXXIX, p. 421. 1895.  
Type: *Dacryon omniparens* Forel (monobasic).
- Decacrema** FOREL. Ann. Soc. Ent. Belg., LIV, p. 18. 1910. (Subgenus of *Cremastogaster*.)  
Type: *Cremastogaster schencki* Forel (by present designation).
- Decamera** ROGER. Berlin. Ent. Zeitschr., VII, p. 166. 1863. (= *Myrmelachista*.)  
Type: *Decamera nigella* Roger (monobasic).
- Dendromyrmex** EMERY. Zool. Jahrb. Abth. f. Syst., VIII, p. 772. 1895.  
Type: *Camponotus chartifex* F. Smith (by present designation).
- Diacamma** MAYR. Verh. zool. bot. Ges. Wien, XII, p. 718. 1862.  
Type: *Ponera rugosa* Le Guillon (designated by Bingham, 1903).
- Dichothorax** EMERY. Zool. Jahrb. Abth. f. Syst., VIII, p. 323. 1894. (Subgenus of *Leptothorax*.)  
Type: *Leptothorax (Dichothorax) pergandei* Emery (first of two species by present designation).

- Dichthadia** GERSTÄCKER. Stettin. Ent. Zeitg., XXIV, p. 693. 1863. (Subgenus of *Dorylus*.)  
Type: *Dichthadia glaberrima* Gerstäcker = *Dorylus laevigatus* F. Smith (monobasic).<sup>2</sup>
- Dicroaspis** EMERY. Ann. Soc. Ent. Belg., LII, p. 184. 1908.  
Type: *Dicroaspis cryptocera* Emery (monobasic).
- Dilobocondyla** SANTSCHI. Le Naturaliste, XXXII, p. 283. 1910.  
Type: *Atopomyrmex selebenensis* Emery (by present designation).
- Dimorphomyrmex** ERN. ANDRÉ. Mem. Soc. Zool. France, V, p. 49. 1892.  
Type: *Dimorphomyrmex janeti* Ern. André (monobasic).
- Dinomyrmex** ASHMEAD. Canad. Entom., XXXVII, p. 384. 1905. (= *Camponotus*.)  
Type: *Formica gigas* Latreille (designated by Ashmead, 1905).
- Dinoponera** ROGER. Berlin. Ent. Zeitschr., V, p. 37. 1861.  
Type: *Ponera grandis* Guérin (monobasic).
- Diplomorium** MAYR. Ann. K. K. Naturhist. Hofmus., XVI, p. 16. 1907.  
Type: *Diplomorium longipenne* Mayr (monobasic).
- Diplorhoptrum** MAYR. Verh. zool. bot. Ver. Wien, V, p. 449. 1855.  
(= *Solenopsis*.)  
Type: *Formica fugax* Latreille (monobasic).
- Discothyrea** ROGER. Berlin. Ent. Zeitschr., VII, p. 176. 1863.  
Type: *Discothyrea testacca* Roger (monobasic).
- Doleromyrma** FOREL. Ann. Mus. Nat. Hungar., V, p. 28. 1907. (Subgenus of *Tapinoma*.)  
Type: *Tapinoma (Dolcromyrmex) darwiniana* Forel (monobasic).
- Dolichoderus** LUND. Ann. Sci. Nat., XXIII, p. 130. 1831.  
Type: *Dolichoderus attelaboides* Lund (monobasic).
- Dorylus** FABRICIUS. Ent. Syst., II, pp. 194 and 365. 1793.  
Type: *Vespa helvola* Linné (designated by Shuckard, 1840).
- Dorymyrmex** MAYR. Sitzb. Akad. Wiss. Wien, LIII, p. 494. 1866.  
Type: *Formica flavescens* Fabricius (monobasic).
- Drepanognathus** F. SMITH. Catal. Hymen. Brit. Mus., VI, p. 81. 1858.  
Type: *Harpegnathus saltator* Jerdon (designated by Bingham, 1903).
- Echinopla** F. SMITH. Journ. Proc. Linn. Soc. Zool., II, p. 79. 1857.  
Type: *Echinopla melanarctos* F. Smith (first species by present designation).
- Eciton** LATREILLE. Hist. Nat. Crust. et Ins., IV, p. 130. 1802.  
Type: *Formica hamata* Fabricius (designated by Emery, 1910).
- Ephorella** FOREL. Ann. Soc. Ent. Belg., LIII, p. 65. 1909. (Subgenus of *Tapinoma*.)  
Type: *Ephorella wellmani* Forel (monobasic).
- Ectatomma** F. SMITH. Cat. Hymen. Brit. Mus., VI, p. 102. 1858.  
Type: *Formica tuberculata* Oliver (designated by Bingham, 1903).
- Ectomomyrmex** MAYR. Tijdschr. v. Ent., X, p. 83. 1867. (Subgenus of *Pachycondyla*.)  
Type: *Ectomomyrmex javanus* Mayr (designated by Bingham, 1903).

<sup>2</sup> Not *D. furcata*, as stated by Ashmead, 1906.

- Electromyrmex** WHEELER. *Ants, their Struct., Develop. and Behav.*, p. 164. 1910.  
Type: *Electromyrmex klebsi* Wheeler (monobasic).
- Emeryella** FOREL. *Ann. Soc. Ent. Belg.*, XLV, p. 334. 1901.  
Type: *Emeryella schmitti* Forel (monobasic).
- Emeryia** FOREL. *C. R. Soc. Ent. Belg.*, p. CX. 1890. (= *Cardiocondyla*).  
Type: *Emeryia wroughtoni* Forel (monobasic).
- Engramma** FOREL. *Ann. Soc. Ent. Belg.*, XLIX, p. 180. 1905.  
Type: *Engramma lusæ* Forel (monobasic).
- Enneamerus** MAYR. *Beitr. Naturk. Preuss.*, I, p. 98. 1868.  
Type: *Enneamerus reticulatus* Mayr (monobasic).
- Ephebomyrmex** WHEELER. *Psyche*, IX, p. 390. 1902. (Subgenus of *Pogonomyrmex*.)  
Type: *Pogonomyrmex nægelti* Forel (by present designation).
- Epæcus** EMERY. *Ann. Soc. Ent. France. V. C. R.*, p. XXLXXVI. 1892; *Zool. Jahrb. Abth. f. Syst.*, VIII, p. 272. 1894.  
Type: *Epæcus pergandei* Emery (monobasic).
- Epipheidole** WHEELER. *Bull. Amer. Mus. Nat. Hist.*, XX, p. 14. 1904.  
Type: *Epipheidole inquilina* Wheeler (monobasic).
- Epitritus** EMERY. *Bull. Soc. Ent. Ital.*, I, p. 136. 1869.  
Type: *Epitritus argiolus* Emery (monobasic).
- Epixenus** EMERY. *Deutsch. Ent. Zeitschr.*, p. 556. 1908.  
Type: *Epixenus andrei* Emery = "abnormal female" of *Monomorium venustum* Ern. André (first of two species by present designation).
- Epopostruma** FOREL. *Ann. Soc. Ent. Belg.*, XXXIX, p. 422. 1895. (Subgenus of *Strumigenys*.)  
Type: *Strumigenys (Epopostruma) quadrispinosa* Forel (first of two species by present designation).
- Erebomyrma** WHEELER. *Biol. Bull.*, IV, p. 138. 1903.  
Type: *Erebomyrma longi* Wheeler (monobasic).
- Escherichia** FOREL. *Zool. Jahrb. Abth. f. Syst.*, XXIX, p. 245. 1910.  
Type: *Escherichia brevisrostris* Forel (monobasic).
- Eumecopone** FOREL. *Ann. Soc. Ent. Belg.*, XLV, p. 335. 1901. (Subgenus of *Neoponera*.)  
Type: *Neoponera (Eumecopone) agilis* Forel (monobasic).
- Euponera** FOREL. *Grandidier's Hist. Madagascar*, XX, p. 126. 1891.  
Type: *Poncra sikoræ* Forel (monobasic).
- Euprenolepis** EMERY. *Ann. Soc. Ent. Belg.*, L, p. 134. 1906. (Subgenus of *Prenolepis*.)  
Type: *Prenolepis procera* Emery (designated by Emery, 1906).
- Eusphinctus** EMERY. *Ann. Soc. Ent. France*, p. CCLXXV. 1892. (Subgenus of *Sphinctomyrmex*.)  
Type: *Eusphinctus furcatus* Emery (monobasic).
- Eutetramorium** EMERY. *Bull. Soc. Ent. Ital.*, XXXI, p. 281. 1899.  
Type: *Eutetramorium mocquerysi* Emery (first of two species by present designation).
- Forelius** EMERY. *Zeitschr. f. wiss. Zool.*, XLVI, p. 389. 1888.  
Type: *Iridomyrmex maccooki* Forel (monobasic).

- Formica** LINNÉ. System. Nat., Ed. 10, p. 579. 1758.  
Type: *Formica rufa* Linné (designated by Bingham, 1903).
- Formicina** SHUCKARD. Swainson & Shuckard's Hist. Nat. Arrang. of Insects, p. 172. 1840. (= *Formica*.)  
Type: *Formica rufa* Linné (by present designation).
- Formicoxenus** MAYR. Verh. zool. bot. Ver. Wien, V, p. 413. 1855.  
Type: *Myrmica nitidula* Nylander (monobasic).
- Froggattella** FOREL. Rev. Suisse Zool., X, p. 459. 1902.  
Type: *Acantholepis kirbyi* Lowne = *Hypoclinea kirbyi* Mayr (monobasic).
- Gesomyrmex** MAYR. Beitr. Naturk. Preuss., I, p. 50. 1868.  
Type: *Gesomyrmex harnesi* Mayr (monobasic).
- Gigantiops** ROGER. Berlin. Ent. Zeitschr., VI, p. 287. 1862.  
Type: *Formica destructor* Fabricius (monobasic).
- Glyptomyrmex** FOREL. Bull. Soc. Vaud. Sci. Nat., (2) XX, p. 365. 1884.  
(= *Myrmicocrypta*.)  
Type: *Glyptomyrmex dilacerratus* Forel (monobasic).
- Gramptogenys** ROGER. Berlin. Ent. Zeitschr., VII, p. 174. 1863. (Subgenus of *Ectatomma*.)  
Type: *Ectatomma cincinnum* Mayr (by present designation).
- Gontomma** EMERY. Zool. Jahrb. Abth. f. Syst., VIII, p. 298. 1895.  
Type: *Aphaenogaster blanci* Ern. André (monobasic).
- Goniethorax** EMERY. Bull. Soc. Ent. Ital., XXVIII, p. 26. 1896. (Subgenus of *Leptothorax*.)  
Type: *Leptothorax vicinus* Mayr (by present designation).
- Hagensia** FOREL. Rev. Suisse Zool., IX, p. 333. 1901. (Subgenus of *Megaloponera*.)  
Type: *Megaloponera (Hagensia) havilandi* Forel (monobasic).
- Hagiomyrma** WHEELER. Science n. s., XXXIII, p. 860. 1911. (Subgenus of *Myrma*.)  
Type: *Formica ammon* Fabricius (designated by Wheeler, 1911).
- Hagioxenus** FOREL. Ann. Soc. Ent. Belg., LIV, p. 8. 1910.  
Type: *Hagioxenus schmitzi* Forel (monobasic).
- Harpagoxenus** FOREL. Ann. Soc. Ent. Belg., XXXVII, p. 167. 1893. *Nom. nov.* for *Tomognathus* MAYR. *nom. præocc.* 1861.  
Type: *Tomognathus sublarvis* Nylander (monobasic).
- Harpegnathus** JERDON. Madras Journ. Litt. and Sci., XVII, p. 116. 1851.  
(= *Drepanognathus*.)  
Type: *Drepanognathus cruentatus* Smith = *Harpegnathus saltator* Jerdon (by present designation).
- Hemioptica** ROGER. Berlin. Ent. Zeitschr., VI, p. 238. 1862. (Subgenus of *Myrma*.)  
Type: *Hemioptica scitssa* Roger (monobasic).
- Heptacondylus** F. SMITH. Catalog. Hymen. Brit. Mus., VI, p. 141. 1858.  
(= *Myrmicaria*.)  
Type: *Heptacondylus subcarinatus* F. Smith = *Myrmica fodiens* Jerdon (first of three species by present designation).
- Heteroponera** MAYR. Verh. zool. bot. Ges. Wien, XXXVII, p. 532. 1887.  
(= *Acanthoponera*.)  
Type: *Heteroponera carinifrons* Mayr (monobasic).



- Holcomyrme** MAYR. Verh. zool. bot. Ges. Wien, XXVIII, p. 671. 1878.  
(Subgenus of *Monomorium*.)  
Type: *Holcomyrme scabriceps* Mayr (designated by Bingham, 1903).
- Holcoponera** MAYR. Verh. zool. bot. Ges. Wien, XXXVII, p. 540. 1887. (Subgenus of *Ectatomma*.)  
Type: *Ectatomma (Holcoponera) striatulum* Mayr (by present designation).
- Hoplomyrmex** GERSTÄCKER. Monatschr. Akad. Wiss. Berlin, p. 261. 1858.  
(= *Myrma*.)  
Type: *Hoplomyrmex schistaceus* Gerstäcker (monobasic).
- Huberia** FOREL. C. R. Soc. Ent. Belg., p. CV. 1890.  
Type: *Tetramorium striatum* F. Smith (monobasic).
- Hypochira** BUCKLEY. Proc. Ent. Soc. Phila., VI, p. 169. 1866. (= *Formica*.)  
Type: *Formica (Hypochira) subspinosa* Buckley (monobasic).
- Hypoclinea** (FÖRSTER) MAYR. Verh. zool. bot. Ver. Wien, V, p. 377. 1855.  
(Subgenus of *Dolichoderus*.)  
Type: *Formica quadripunctata* Linné (second species by present designation).
- Hypopomyrmex** EMERY. Mem. Accad. Sci. Bologna, (5) I, p. 574. 1891.  
Type: *Hypopomyrmex bombyccii* Emery (monobasic).
- Imhoffia** HEER. Verh. Schweiz. Naturf. Ges., p. 78. 1849.  
Type: *Imhoffia nigra* Heer (monobasic).
- Iridomyrmex** MAYR. Verh. zool. bot. Ges. Wien, XII, p. 702. 1862.  
Type: *Formica detecta* F. Smith (designated by Bingham, 1903).
- Ischnomyrmex** MAYR. Verh. zool. bot. Ges. Wien, XII, p. 738. 1862. (Subgenus of *Aphanogaster*.)  
Type: *Myrmica longipes* F. Smith (monobasic).
- Janetia** FOREL. Biol. Centr. Amer. Hymen., III, p. 61, *nota*. 1899. (Subgenus of *Pogonomyrma*.)  
Type: *Pogonomyrma (Janetia) mayri* Forel (monobasic).
- Labidogenys** ROGER. Berlin. Ent. Zeitschr., VI, p. 249. 1862. (= *Strumigenys*.)  
Type: *Labidogenys lyroessa* Roger (monobasic).
- Labidus** JURINE. Nouv. Meth. Class. Hymén., p. 282. 1807. (Subgenus of *Eciton*.)  
Type: *Labidus latreillei* Jurine = male *Eciton circum* (Latreille) = *Formica circa* Latreille (designated by Shuckard, 1840).
- Lachnomyrmex** WHEELER. Bull. Amer. Mus. Nat. Hist., XXVIII, p. 263. 1910.  
Type: *Lachnomyrmex scrobiculatus* Wheeler (monobasic).
- Lampromyrme** MAYR. Beitr. Naturk. Preuss., I, p. 93. 1868.  
Type: *Lampromyrme gracillimus* Mayr (monobasic).
- Laparomyrmex** EMERY. Ann. Mus. Civ. Stor. Nat. Genova (2), V, p. 37. 1887.  
(= *Liomyrma*.)  
Type: *Laparomyrma gestroi* Emery (monobasic).
- Lasiophanes** EMERY. Act. Soc. Sci. Chili, V, p. 16. 1895. (Subgenus of *Melophorus*.)  
Type: *Formica nigriventris* Spinola (by present designation).
- Lasius** FABRICIUS. System. Piezat., p. 415. 1804.  
Type: *Formica nigra* Linné (designated by Bingham, 1903).

- Leptalea** (KLUG) ERICHSON. Arch. f. Naturg., V, p. 309. 1839. (= *Pseudomyrma*.)  
 Type: *Formica gracilis* Fabricius (monobasic).
- Leptanilla** EMERY. Bull. Soc. Ent. Ital., II, p. 196. 1870.  
 Type: *Leptanilla revelteri* Emery (monobasic).
- Leptogenys** ROGER. Berlin. Ent. Zeitschr., V, p. 41. 1861.  
 \* Type: *Leptogenys falcigera* Roger (designated by Bingham, 1903).
- Leptomyrma** MOTSCHULSKY. Bull. Soc. Nat. Mosc., XXXVI, p. 17. 1863.  
 (= *Pheidole*.)  
 Type: *Leptomyrma gracilipes* Motschulsky (monobasic).
- Leptomyrme** MAYR. Verh. zool. bot. Ges. Wien, XII, p. 695. 1862.  
 Type: *Formica erythrocephala* Fabricius (monobasic).
- Leptothorax** MAYR. Verh. zool. bot. Ges. Wien, V, p. 431. 1855.  
 Type: *Formica acervorum* Fabricius (by present designation).
- Linepithema** MAYR. Sitzb. Akad. Wiss. Wien, LIII, p. 496. 1866.  
 Type: *Linepithema fuscum* Mayr (monobasic).
- Liometopum** MAYR. Europ. Formicid., p. 38. 1861.  
 Type: *Formica microcephala* Panzer (monobasic).
- Liomyrmex** MAYR. Novara Reise Formicid., p. 23. 1865.  
 Type: *Myrmica caca* F. Smith (monobasic).
- Lioponera** MAYR. Verh. zool. bot. Ges. Wien, XXVIII, p. 666. 1878.  
 Type: *Lioponera longitarsus* Mayr (monobasic).
- Lobopelta** MAYR. Verh. zool. bot. Ges. Wien, XII, p. 733. 1862. (Subgenus of *Leptogenys*.)  
 Type: *Ponera diminuta* F. Smith (designated by Bingham, 1903).
- Lonchomyrmex** MAYR. Jahrb. Geol. Reichsanst. Wien, XVII, p. 61. 1867.  
 Type: *Formica freyeri* Heer (monobasic).
- Lophomyrmex** EMERY. Ann. Mus. Civ. Stor. Nat. Genova, XXII, p. 114. 1892.  
 Type: *Oecodoma quadrispinosa* Jerdon (monobasic).
- Lordomyrma** EMERY. Termes. Fitzetek, XX, p. 591. 1897.  
 Type: *Lordomyrma furcifera* Emery (first of two species by present designation).
- Machomyrma** FOREL. Ann. Soc. Ent. Belg., XXXIX, p. 425. 1895. (Subgenus of *Liomyrmex*.)  
 Type: *Liomyrmex (Machomyrma) dispar* Forel (monobasic).
- Macromischa** ROGER. Berlin. Ent. Zeitschr., VII, p. 184. 1863.  
 Type: *Macromischa purpurata* Roger (first species by present designation).
- Manica** JURINE. Nouv. Méth. Class. Hymén., p. 276. 1807. (= *Myrmica*.)  
 Type: *Formica rubida* Latreille (by present designation).
- Martia** FOREL. Ann. Mus. Nat. Hungaricid., V, p. 20. 1907. (Subgenus of *Monomorium*.)  
 Type: *Monomorium (Martia) vazeuyii* Forel (monobasic).
- Mayria** FOREL. Bull. Soc. Vaud. Sci. Nat., (2) XV, p. 369. 1878.  
 Type: *Mayria madagascariensis* Forel (monobasic).
- Mayriella** FOREL. Rev. Suisse Zool., X, p. 452. 1902.  
 Type: *Mayriella abstincens* Forel (monobasic).
- Mayromyrme** ASHMEAD. Canad. Ent., XXXVII, p. 381. 1905. (= *Eciton*.)  
 Type: *Labidus fargeauti* Shuckard = male *Eciton quadriglume* Hallday (designated by Ashmead, 1905).

- Megalomyrmex** FOREL. Bull. Soc. Vaud. Sci. Nat., (2) XX, p. 56. 1884.  
Type: *Formica bituberculata* Fabricius (by present designation).
- Megaloponera** EMERY. Ann. Mus. Civ. Stor. Nat. Genova, IX, p. 363. 1877.  
(= *Megaponera*.)  
Type: *Formica fatens* Fabricius (monobasic).
- Megaponera** MAYR. Verh. zool. bot. Ges. Wien, XII, p. 734. 1862.  
Type: *Formica fatens* Fabricius (monobasic).
- Melissotarsus** EMERY. Ann. Mus. Civ. Stor. Nat. Genova, IX, p. 378. 1877.  
Type: *Melissotarsus beccarii* Emery (monobasic).
- Melophorus** LUBBOCK. Journ. Linn. Soc. Zool., XVIII, p. 51. 1883.  
Type: *Melophorus bagoti* Lubbock (monobasic).
- Meranoplus** F. SMITH. Trans. Ent. Soc. London, (2) II, p. 224. 1854.  
Type: *Cryptocerus bicolor* Guérin (designated by Bingham, 1903).
- Mesoponera** EMERY. Ann. Soc. Ent. Belg., XLV, p. 43. 1901. (Subgenus of *Euponera*.)  
Type: *Ponera cafferaria* F. Smith (designated by Emery, 1901).
- Mesoxena** F. SMITH. Journ. Proc. Linn. Soc. Zool., IV, Suppl., p. 106. 1860.  
Type: *Mesoxena mistura* F. Smith (monobasic).
- Messor** FOREL. Ann. Soc. Ent. Belg., XXXIV, C. R., p. LXVIII. 1890.  
Type: *Formica barbara* Linné (designated by Bingham, 1903).
- Micromyrma** DUFOUR. Ann. Soc. Ent. France, (2) V, p. 60. 1857. (= *Tapi-noma*.)  
Type: *Formica erraticus* Latreille (monobasic).
- Mictoponera** FOREL. Ann. Soc. Ent. Belg., XLV, p. 372. 1901. (Subgenus of *Ectatomma*.)  
Type: *Ectatomma (Mictoponera) dichli* Forel (monobasic).
- Möllerius** FOREL. Ann. Soc. Ent. Belg., XXXVII, p. 589. 1893. (Subgenus of *Atta*.)  
Type: *Acromyrmex landolti* Forel (by present designation).
- Monacis** ROGER. Berlin. Ent. Zeitschr., VI, p. 233. 1862. (Subgenus of *Dolichoderus*.)  
Type: *Formica bispinosa* Oliv. = *Formica fungosa* Fabr. (by present designation).
- Monocombus** MAYR. Verh. zool. bot. Ver. Wien, V, p. 381. 1855. (= *Cataglyphis*.)  
Type: *Formica viatica* Fabricius (monobasic).
- Monomorium** MAYR. Verh. zool. bot. Ver. Wien, V, p. 452. 1855.  
Type: *Monomorium minutum* Mayr (monobasic).
- Mycetosoritis** WHEELER. Bull. Amer. Mus. Nat. Hist., XXIII, p. 714. 1907. (Subgenus of *Atta*.)  
Type: *Atta (Mycetosoritis) hartmani* Wheeler (monobasic).
- Mychothorax** RUZSKY. Formica Imp. Rossici, p. 107. 1905. (= *Leptothorax*.)  
Type: *Formica accrorum* Fabricius (first species by present designation).
- Mycocarpus** FOREL. Trans. Ent. Soc. London, IV, p. 369. 1893.  
Type: *Mycocarpus smithi* Forel (by present designation).
- Myopias** ROGER. Berlin. Ent. Zeitschr., V, p. 39. 1861.  
Type: *Myopias amblyops* Roger (monobasic).
- Myopopone** ROGER. Berlin. Ent. Zeitschr., V, p. 49. 1861.  
Type: *Amblyopone castanea* F. Smith var. *maculata* Roger (monobasic).

- Myrma** BILBERG. Enumer. Insect., p. 104. 1820.  
Type: *Formica militaris* Fabricius (by present designation).
- Myrmecia** FABRICIUS. System. Piezat., p. 423. 1804.  
Type: *Formica gulosa* Fabricius (by present designation).
- Myrmecina** CURTIS. Brit. Entom., IV, p. 226. 1829.  
Type: *Myrmecina latreillei* Curtis (monobasic).
- Myrmecocystus** WESMAEL. Bull. Acad. Sci. Brux., V, p. 770. 1838.  
Type: *Myrmecocystus mexicanus* Wesmael (monobasic).
- Myrmecopsis** F. SMITH. Journ. Proc. Linn. Soc., VIII, p. 68. 1864.  
Type: *Myrmecopsis respiciens* F. Smith (monobasic).
- Myrmecorhynchus** ERN. ANDRÉ. Rev. d'Entom., XV, p. 253. 1896.  
Type: *Myrmecorhynchus emeryi* Ern. André (monobasic).
- Myrmelachista** ROGER. Berlin. Ent. Zeitschr., VII, p. 162. 1863.  
Type: *Myrmelachista kraatzii* Roger (monobasic).
- Myrmex** GUÉRIN. Iconogr. Regn. Anim., VII, Insect., p. 428. 1845. (= *Pseudomyrma*.)  
Type: *Pseudomyrma (Myrmex) perboscii* Guérin.
- Myrmica** LATREILLE. Hist. Nat. Crust. et Insect., IV, p. 131. 1802.  
Type: *Formica rubra* Linn (by present designation).
- Myrmicaria** SAUNDERS. Trans. Ent. Soc. London, III, p. 57. 1841.  
Type: *Myrmicaria brunnea* Sanders (monobasic).
- Myrmicocrypta** F. SMITH. Journ. of Ent., I, p. 73. 1860.  
Type: *Myrmicocrypta squamosa* F. Smith (monobasic).
- Myrmoteras** FOREL. Ann. Soc. Ent. Belg., XXXVII, p. 607. 1893.  
Type: *Myrmoteras binghami* Forel (monobasic).
- Myrmoxenus** RUSZKY. Zool. Jahrb. Abth. f. Syst., XVII, p. 474. 1902.  
Type: *Myrmoxenus gordiagini* Ruzsky (monobasic).
- Myrmus** SCHENCK. Stettin. Ent. Zeitg., XIV, p. 299. 1853. (= *Strongylognathus*.)  
Type: *Myrmus emarginatus* Schenck = *Eciton ? testaceum* Schenck (monobasic).
- Mystrium** ROGER. Berlin. Ent. Zeitschr., VI, p. 245. 1862.  
Type: *Mystrium mysticum* Roger (monobasic).
- Neoponera** EMERY. Ann. Soc. Ent. Belg., XLV, p. 40. 1901.  
Type: *Formica villosa* Fabricius (designated by Emery, 1901).
- Nesomyrmex** WHEELER. Bull. Amer. Mus. Nat. Hist., XXVIII, p. 259. 1910.  
Type: *Nesomyrmex clavipilis* Wheeler (monobasic).
- Notoncus** EMERY. Ann. Soc. Ent. Belg., XXXIX, p. 352. 1895.  
Type: *Camponotus ectatommoides* Forel (monobasic).
- Nycteresia** ROGER. Berlin. Ent. Zeitschr., V, p. 21. 1861. (= *Eciton*.)  
Type: *Nycteresia caeca* Roger = *Formica caeca* Latreille (monobasic).
- Nylanderia** EMERY. Ann. Soc. Ent. Belg., I, p. 134. 1906. (Subgenus of *Prenolepis*.)  
Type: *Prenolepis vividula* Nylander (designated by Emery, 1906).
- Ochetomyrmex** MAYR. Verh. zool. bot. Ges. Wien, XXVII, p. 871. 1877.  
Type: *Ochetomyrmex semipolitus* Mayr (monobasic).
- Ocymyrmex** EMERY. Bull. Soc. Ent. Ital., XVIII, p. 364. 1886.  
Type: *Ocymyrmex barbiger* Emery (monobasic).

- Odontomachus** LATREILLE. Hist. Nat. Crust. et Insect., IV, p. 128. 1802.  
Type: *Formica hæmatoda* Linné (monobasic).
- Odontomyrmex** ERN. ANDRÉ. Rev. d'Entom., XXIII, p. 207. 1904.  
Type: *Odontomyrmex quadridentatus* Ern. André (monobasic).
- Odontoponera** MAYR. Verh. zool. bot. Ges. Wien, XII, p. 717. 1862.  
Type: *Ponera denticulata* F. Smith = *Ponera transversa* F. Smith (monobasic).
- Œcodoma** LATREILLE. Nouv. Dict. Hist. Nat., XXIII, p. 50. 1818. (= *Atta*.)  
Type: *Formica cephalotes* Linné (by present designation).
- Œcophthora** HEER. Hausameise Madeiras, p. 15. 1852. (= *Pheidole*.)  
Type: *Œcophthora pusilla* Heer = *Formica megacephala* Fabricius (monobasic).
- Œcophylla** F. SMITH. Journ.-Linn. Soc. Zool., V, p. 101. 1861.  
Type: *Formica virescens* Fabricius (designated by Bingham, 1903).
- Oligomyrmex** MAYR. Tjdschr. v. Ent., X, p. 110.  
Type: *Oligomyrmex concinnus* Mayr (monobasic).
- Onychomyrmex** EMERY. Ann. Soc. Ent. Belg., XXXIX, p. 349. 1895.  
Type: *Onychomyrmex hedleyi* Emery (monobasic).
- Oöceræa** ROGER. Berlin. Ent. Zeitschr., VI, p. 248. 1862. (Subgenus of *Cera-pachys*.)  
Type: *Oöceræa fragosa* Roger (monobasic).
- Ophthalmopone** FOREL. C. R. Soc. Ent. Belg., p. CXII. 1890.  
Type: *Ophthalmopone berthoudi* Forel (monobasic).
- Opisthopsis** EMERY. Ann. Soc. Ent. Belg., XXXIX, p. 353. 1895. *Nom. nov.*  
for *Myrmecopsis nom. præocc.*  
Type: *Myrmecopsis respiciens* F. Smith (monobasic).
- Orectognathus** F. SMITH. Trans. Ent. Soc. Lond., (2) II, p. 227. 1854.  
Type: *Orectognathus antennatus* F. Smith (monobasic).
- Orthonotomyrmex** ASHMEAD. Proc. Ent. Soc. Wash., VIII, p. 31. 1906. *Nom. nov.*  
for *Orthonotus nom. præocc.* (= *Camponotus*.)  
Type: *Formica sericea* Fabricius (designated by Ashmead, 1905).
- Orthonotus** ASHMEAD. Canad. Ent., XXXVII, p. 384. 1905. *Nom. præocc.*  
(= *Orthonotomyrmex* = *Camponotus*.)  
Type: *Formica sericea* Fabricius (designated by Ashmead, 1905).
- Otomyrmex** FOREL. Grandidier's Hist. Madagascar, XX, p. 147. 1891. (Subgenus of *Cataulacus*.)  
Type: *Cataulacus oberthueri* Emery (monobasic).
- Oxygyne** FOREL. Ann. Soc. Ent. Belg., XLV, p. 376. 1901. (Subgenus of *Cremastogaster*.)  
Type: *Cremastogaster (Oxygyne) daisyi* Forel (by present designation).
- Oxyopomyrmex** ERN. ANDRÉ. Ann. Soc. Ent. France, V, p. 72. 1880.  
Type: *Oxyopomyrmex oculatus* Ern. André (monobasic).
- Pachycondyla** F. SMITH. Catalog. Hymen. Brit. Mus., VI, p. 105. 1858.  
Type: *Formica crassinoda* Latreille (designated by Emery, 1901).
- Pædalagus** FOREL. Escherich's Termitenleben auf Ceylon, p. 217. 1911.  
Type: *Pædalagus escherichi* Forel (monobasic).
- Paltothyreus** MAYR. Verh. zool. bot. Ges. Wien, XII, p. 735. 1862.  
Type: *Formica tarsata* Fabricius (monobasic).

- Paraponera** F. SMITH. Catalog. Hymen. Brit. Mus., VI, p. 100. 1858.  
Type: *Formica clavata* Fabricius (monobasic).
- Parasyscia** EMERY. In Ern. André, Spec. Hymén. Europ., II, p. 235. 1882.  
(Subgenus of *Cerapachys*).  
Type: *Parasyscia piochardi* Emery (monobasic).
- Paratrechina** MOTSCHULSKY. Bull. Soc. Nat. Moscou, XXXVI, p. 13. 1863.  
(= *Prenolepis*).  
Type: *Paratrechina currens* Motschulsky = *Formica longicornis* Latreille (monobasic).
- Pedetes** BERNSTEIN. Verh. zool. bot. Ges. Wien, XI, Sitzb., p. 7. 1861.  
(= *Odontomachus*).  
Type: *Pedetes macrorhynchus* Bernstein (*nomen nudum*).
- Phacota** ROGER. Berlin. Ent. Zeitschr., VI, p. 260. 1862.  
Type: *Phacota sicheli* Roger (monobasic).
- Phasmomyrmex** STITZ. Mittheil. Zool. Mus. Berlin, V, p. 146. 1910. (= *Camponotus*).  
Type: *Phasmomyrmex sericcus* Stitz = *Camponotus buchneri* Forel.
- Pheidolacanthinus** F. SMITH. Journ.-Linn. Soc. Zool., VIII, p. 75. 1864.  
Type: *Pheidolacanthinus armatus* F. Smith (monobasic).
- Pheidole** WESTWOOD. Ann. Mag. Nat. Hist., VI, p. 87. 1841.  
Type: *Atta providens* Sykes (designated by Bingham, 1903).
- Pheidologeton** MAYR. Verh. zool. bot. Ges. Wien, XII, p. 750. 1862.  
Type: *Pheidole ocellifera* F. Smith = *Æcodoma diversa* Jerdon (designated by Bingham, 1903).
- Phyracaces** EMERY. Rend. Accad. Sci. Ist. Bologna, n. s., VI, p. 23. 1902.  
(Subgenus of *Cerapachys*).  
Type: *Cerapachys mayri* Forel (designated by Emery, 1902).
- Physatta** F. SMITH. Catalog. Hymen. Brit. Mus., VI, p. 171. 1858. (= *Myrmicaria*).  
Type: *Physatta dromedarius* F. Smith = *Heptacondylus carinatus* F. Smith (first of four species by present designation).
- Plagirolepis** MAYR. Europ. Formicid., p. 42. 1861.  
Type: *Formica pygmæa* Latreille (monobasic).
- Platythyrea** ROGER. Berlin. Ent. Zeitschr., VII, p. 172. 1863.  
Type: *Pachycondyla punctata* F. Smith (designated by Bingham, 1903).
- Plectroctena** F. SMITH. Catalog. Hymén. Brit. Mus., VI, p. 102. 1858.  
Type: *Plectroctena mandibularis* F. Smith = *Formica caffra* (Klug) Spinola (monobasic).
- Podomyrma** F. SMITH. Journ. Proc. Linn. Soc. Zool., III, p. 135. 1858.  
Type: *Podomyrma femorata* F. Smith (first species, by present designation).
- Pogonomyrmex** MAYR. Annu. Soc. Nat. Modena, III, p. 169. 1868.  
Type: *Formica badia* Latreille (by present designation).
- Polyergus** LATREILLE. Hist. Nat. Crust. Insect., XIII, p. 256. 1805.  
Type: *Formica rufescens* Latreille (monobasic).
- Polyrhachis** F. SMITH. Journ. Proc. Linn. Soc. Zool., II, p. 58. 1858. (Subgenus of *Myrma*).  
Type: *Formica bhamata* Drury (designated by Smith, 1858).

- Ponera** LATREILLE. Hist. Nat. Crust. Insect., IV, p. 128. 1802.  
Type: *Formica courctata* Latreille (monobasic).
- Poneropsis** HEER. Denkschr. Schweiz. Ges. Naturw., XXII, p. 19. 1867.  
Type: *Ponera fuliginosa* Heer (by present designation).
- Prenolepis** MAYR. Europ. Formicid., p. 52. 1861.  
Type: *Prenolepis imparis* Say (designated by Emery, 1906).<sup>2</sup>
- Prionogenys** EMERY. Ann. Soc. Ent. Belg., XXXIX, p. 348. 1895.  
Type: *Prionogenys podenzanai* Emery (monobasic).
- Prionomyrmex** MAYR. Beltr. Naturk. Preuss., I, p. 77. 1868.  
Type: *Prionomyrmex longiceps* Mayr (monobasic).
- Prionopelta** MAYR. Sitzb. Akad. Wiss. Wien, LIII, p. 503. 1866.  
Type: *Prionopelta punctulata* Mayr (monobasic).
- Pristomyrmex** MAYR. Verh. zool. bot. Ges. Wien, XVI, p. 903. 1866.  
Type: *Pristomyrmex pungens* Mayr (monobasic).
- Probolomyrmex** MAYR. Ann. K. K. Naturhist. Hofmus. Wien, XVI, p. 2. 1901.  
Type: *Probolomyrmex filiformis* Mayr (monobasic).
- Proceratium** ROGER. Berlin. Ent. Zeitschr., VII, p. 171. 1863.  
Type: *Proceratium silaceum* Roger (monobasic).
- Procryptocerus** EMERY. Ann. Mus. Civ. Stor. Nat. Genova, XXV, p. 470 *nota*. 1887.  
Type: *Meranoplus striatus* F. Smith (by present designation).
- Proformica** RUZSKY. Horæ Soc. Ent. Ross., XXXVI, p. 303. 1903. (Subgenus of *Formica*.)  
Type: *Formica nasuta* Nylander (by present designation).
- Prolasius** FÖBEL. Mittheil. Schweiz. Ent. Ges., VIII, p. 332. 1892. (Subgenus of *Melophorus*.)  
Type: *Formica advoca* F. Smith (monobasic).
- Propodomyrma** WHEELER. Ants, their Struct. Devel. & Behav., p. 163. 1910.  
Type: *Propodomyrma samlandica* Wheeler (monobasic).
- Psalidomyrmex** ERN. ANDRÉ. Rev. d'Ent., VIII, p. 313. 1890.  
Type: *Psalidomyrmex foveolatus* Ern. André (monobasic).
- Pseudodichthadia** ERN. ANDRÉ. Suppl. Spéc. Formic. d'Europ., p. 6. 1885. (= *Labidus*.)  
Type: *Pseudodichthadia incerta* Ern. André = female *Formica cæca* Latreille (monobasic).
- Pseudolasius** EMERY. Ann. Mus. Civ. Stor. Nat. Genova, XXIV, p. 244. 1886.  
Type: *Formica familiaris* F. Smith (designated by Bingham, 1903).
- Pseudomyrma** LUND. Ann. Sci. Nat., XXIII, p. 137. 1831.  
Type: *Formica gracilis* Fabricius.
- Pseudoponera** EMERY. Ann. Soc. Ent. Belg., XLV, p. 42. 1901. (Subgenus of *Euponera*.)  
Type: *Ponera amblyops* Emery (designated by Emery, 1901).
- Pyramica** ROGER. Berlin. Ent. Zeitschr., VI, p. 251. 1862. (= *Strumigenys*.)  
Type: *Pyramica gundlachi* Roger; worker only (monobasic).
- Rhinomyrmex** FÖBEL. Ann. Soc. Ent. Belg., XXX, p. 192. 1886.  
Type: *Rhinomyrmex klæsi* Forel (monobasic).

<sup>2</sup> Bingham (1903) had previously designated *P. nitens* Mayr as the type, but this is merely a European form of *P. imparis*.

- Rhizomyrma** FOREL. Trans. Ent. Soc. London, IV, p. 347. 1893. (Subgenus of *Acropyga*.)  
 Type: *Acropyga* (*Rhizomyrma*) *galdii* Forel (by present designation).
- Rhogmus** SHUCKARD. Ann. Mag. Nat. Hist., V, p. 323. 1840. (Subgenus of *Dorylus*.)  
 Type: *Rhogmus fimbriatus* Shuckard (designated by Shuckard, 1840).
- Rhopalomastix** FOREL. Ann. Soc. Ent. Belg., XLIV, p. 24. 1900.  
 Type: *Rhopalomastix rothneyi* Forel (monobasic).
- Rhopalomyrmex** MAYR. Beitr. Naturk. Preuss., I, p. 41. 1868.  
 Type: *Rhopalomyrmex pygmaeus* Mayr (monobasic).
- Rhopalopone** EMERY. Ann. Mus. Civ. Stor. Nat. Genova, (2) XVIII, p. 549. 1897.  
 Type: *Rhopalopone epinotalis* Emery (monobasic).
- Rhopalothrix** MAYR. Sitzb. Akad. Wiss. Wien, LXI, p. 415. 1870.  
 Type: *Rhopalothrix ciliata* Mayr (first species by present designation).
- Rhoptromyrmex** MAYR. Ann. K. K. Naturhist. Hofmus. Wien, XVI, p. 18. 1901.  
 Type: *Rhoptromyrmex globulinodis* Mayr (first of two species by present designation).
- Rhytidoponera** MAYR. Verh. zool. bot. Ges. Wien, XII, p. 731. 1862. (Subgenus of *Ectatomma*.)  
 Type: *Ectatomma* (*Rhytidoponera*) *metallicum* F. Smitiu (by present designation).
- Rogeria** EMERY. Bull. Soc. Ent. Ital., XXVI, p. 52. 1894.  
 Type: *Rogeria curvipubens* Emery (second of three species by present designation).
- Semonius** FOREL. Schultze. Zool. Anthrop. Ergeb. Forsch. West. u. Zent. Südafrika, IV, p. 21. 1910.  
 Type: *Semonius schultzei* Forel (monobasic).
- Sericomyrmex** MAYR. Novara Reise Formicid., p. 83. 1865.  
 Type: *Sericomyrmex opacus* Mayr (monobasic).
- Shuckardia** EMERY. Zool. Jahrb. Abth. f. Syst., VIII, p. 703. 1895.  
 (= *Ataopone*.)  
 Type: *Dorylus atriceps* Shuckard = *D. abeillei* Ern. André (designated by Emery, 1895).
- Sifolinia** EMERY. Rend. R. Accad. Sci. Ist. Bologna, p. 49. 1907.  
 Type: *Sifolinia lauræ* Emery (monobasic).
- Sima** ROGER. Berlin. Ent. Zeitschr., VII, p. 178. 1863.  
 Type: *Pseudomyrma* ? *allaborans* Walker (designated by Bingham, 1903).
- Simopone** FOREL. Grandidier's Hist. Madagascar, XX, p. 247. 1891.  
 Type: *Simopone grandidieri* Forel (first species by present designation).
- Solenopsis** WESTWOOD. Ann. Mag. Nat. Hist., VI, p. 86. 1841.  
 Type: *Solenopsis mandibularis* Westwood = *Atta geminata* Fabricius (monobasic).
- Spalacomyrmex** EMERY. Ann. Mus. Civ. Stor. Nat. Genova, (2) VII, p. 489. 1889. (= *Centromyrmeæ*.)  
 Type: *Spalacomyrmex feæ* Emery (monobasic).
- Sphegomyrmex** IMHOFF. Verh. Naturf. Ges. Basel., X, p. 175. 1852.  
 (= *Anomma*.)  
 Type: *Dorylus nigricans* Fabricius (monobasic).



- Sphinctomyrmex** MAYR. Verh. zool. bot. Ges. Wien, XVI, p. 895. 1866.  
Type: *Sphinctomyrmex stali* Mayr (monobasic).
- Stenamamma** WESTWOOD. Introd. Mod. Classif. Ins., II, Synops., p. 83. 1840.  
Type: *Stenamamma westwoodi* (Stephens) Westwood (monobasic).
- Stenomyrmex** MAYR. Verh. zool. bot. Ges. Wien, XII, p. 711. 1862. (Subgenus of *Anochetus*.)  
Type: *Myrmecia emarginata* Fabricius (first of two species by present designation).
- Stereomyrmex** EMERY. Deutsch. Ent. Zeitschr., p. 115. 1899.  
Type: *Stereomyrmex horni* Emery (monobasic).
- Stictoponera** MAYR. Verh. zool. bot. Ges. Wien, XXXVII, p. 539. 1887.  
(Subgenus of *Ectatomma*.)  
Type: *Ectatomma coxale* Roger (by present designation).
- Stigmatocros** FOREL. Ann. Soc. Ent. Belg., XLIX, p. 179. 1905. *Nom. nov.* for *Acrostigma* FOREL (*nec* Emery), *nom. præocc.* (Subgenus of *Acantholepis*.)  
Type: *Acantholepis (Acrostigma) froggatti* Forel (first of four species by present designation).
- Stigmatomma** ROGER. Berlin. Ent. Zeitschr., III, p. 250. 1859.  
Type: *Stigmatomma denticulatum* Roger (first of two species, designated by Bingham, 1903).
- Stigmomyrmex** MAYR. Beitr. Naturk. Preuss., I, p. 95. 1868.  
Type: *Stigmomyrmex venustus* Mayr (by present designation).
- Streblognathus** MAYR. Verh. zool. bot. Ges. Wien, XII, p. 716. 1862.  
Type: *Ponera athiopica* F. Smith (monobasic).
- Strongylognathus** MAYR. Verh. zool. bot. Ver. Wien, III, p. 389. 1853.  
Type: *Eciton f testaceum* Schenck (monobasic).
- Strumigenys** F. SMITH. Journ. Ent., I, p. 71. 1860.  
Type: *Strumigenys mandibularis* F. Smith (monobasic).
- Symmyrmica** WHEELER. Bull. Amer. Mus. Nat. Hist., XX, p. 3. 1904.  
Type: *Symmyrmica chamberlini* Wheeler (monobasic).
- Symphoidole** WHEELER. Bull. Amer. Mus. Nat. Hist., XX, p. 7. 1904.  
Type: *Symphoidole clecchra* Wheeler (monobasic).
- Syscia** ROGER. Berlin. Ent. Zeitschr., V, p. 19. 1861. (Subgenus of *Cera-pachys*.)  
Type: *Syscia typhla* Roger (monobasic).
- Sysphincta** ROGER. Berlin. Ent. Zeitschr., VII, p. 175. 1863.  
Type: *Sysphincta micrommata* Roger (monobasic).
- Tapinoma** FÖRSTER. Hymenopt. Stud., I, p. 43. 1850.  
Type: *Formica eratica* Latreille (monobasic).
- Technomyrmex** MAYR. Ann. Mus. Civ. Stor. Nat. Genova, II, p. 147. 1870.  
Type: *Technomyrmex strenuus* Mayr (designated by Bingham, 1903).
- Temnothorax** MAYR. Europ. Formic., p. 68. 1861. (Subgenus of *Leptothorax*.)  
Type: *Temnothorax recedens* Mayr (monobasic).
- Tetramorium** MAYR. Verh. zool. bot. Ver. Wien, V, p. 423. 1855.  
Type: *Formica cæspitum* Linné (designated by Bingham, 1903).
- Tetraoponera** F. SMITH. Ann. Mag. Nat. Hist., (2) IX, p. 44. 1852. (= *Sima*.)  
Type: *Tetraoponera atrata* F. Smith = *Eciton nigrum* Jerdon = *Sima nigra* Emery (by present designation).

- Tetrogmus** ROGER. Berlin. Ent. Zeitschr., I, p. 10. 1857. (Subgenus of *Tetramorium*.)  
Type: *Tetrogmus caldarius* Roger = *Myrmica simillima* (Nylander) F. Smith (monobasic).
- Thaumatomyrmex** MAYR. Verh. zool. bot. Ges. Wien, XXXVII, p. 531. 1887.  
Type: *Thaumatomyrmex mutilatus* Mayr (monobasic).
- Tomognathus** MAYR. Europ. Formic., p. 56. 1861. (= *Harpagoenus*.)  
Type: *Myrmica sublavis* Nylander (monobasic).
- Trachomyrmex** FOREL. Ann. Soc. Ent. Belg., XXXVII, p. 600. 1893. (Subgenus of *Atta*.)  
Type: *Atta septentrionalis* McCook (by present designation).
- Tranopelta** MAYR. Sitzb. Akad. Wiss. Wien, LIII, p. 514. 1866.  
Type: *Tranopelta gilva* Mayr (monobasic).
- Trapezopelta** MAYR. Verh. zool. bot. Ges. Wien, XII, p. 715. 1862.  
Type: *Ponera maligna* F. Smith (monobasic).
- Trichomyrmex** MAYR. Novara Reise Formicid., p. 19. 1865.  
Type: *Trichomyrmex rogeri* Mayr (monobasic).
- Trichoscapa** EMERY. Ann. Accad. Nat. Napoli, (2) II, p. 24. 1869. (= *Strumigenys*.)  
Type: *Trichoscapa membranifera* Emery (monobasic).
- Triglyphothrix** FOREL. C. R. Soc. Ent. Belg., p. CVI. 1890.  
Type: *Triglyphothrix walshi* Forel (monobasic).
- Trigonogaster** FOREL. C. R. Soc. Ent. Belg., p. CIX. 1890.  
Type: *Triglyphothrix walshi* Forel (monobasic).
- Turneria** FOREL. Ann. Soc. Ent. Belg., XXXIX, p. 419. 1895.  
Type: *Turneria bidentata* Forel (monobasic).
- Typhlatta** F. SMITH. Journ. Proc. Linn. Soc. Lond., II, p. 79. 1857. (= *Æntctus*.)  
Type: *Typhlatta laeviceps* F. Smith (monobasic).
- Typhlomyrmex** GISTEL. Myster. Europ. Insectenwelt, p. 447. 1856.  
Type: *Myrmica typhlops* (nomen nudum).
- Typhlomyrmex** MAYR. Verh. zool. bot. Ges. Wien, XII, p. 736. 1862.  
Type: *Typhlomyrmex rogenhoferi* Mayr (monobasic).
- Typhlopone** WESTWOOD. Introd. Mod. Classif. Ins., II, p. 219. 1840. (Subgenus of *Dorylus*.)  
Type: *Typhlopone fulva* Westwood (designated by Emery, 1895).
- Vollenhovia** MAYR. Novara Reise Formicid., p. 21. 1865.  
Type: *Vollenhovia punctatostriata* Mayr (monobasic).
- Wasmannia** FOREL. Trans. Ent. Soc. London, IV, p. 383. 1893.  
Type: *Tetramorium auropunctatum* Roger (first of two species by present designation).
- Wheeleria** FOREL. Ann. Soc. Ent. Belg., XLIX, p. 171. 1905. (= *Wheeleritella*.)  
Type: *Wheeleria santschii* Forel (monobasic).
- Wheeleritella** FOREL. Intern. Sc. Rev., IV, p. 145. 1907. *Nom. nov.* for *Wheeleria*, *nom. præocc.*  
Type: *Wheeleria santschii* Forel (monobasic).
- Xenomyrmex** FOREL. Bull. Soc. Vaud. Sci. Nat., (2) XX, p. 369. 1884.  
Type: *Xenomyrmex stolli* Forel (monobasic).

**Xiphomyrmex** FOREL. Mitthell. Schweiz. Ent. Ges., VII, p. 385. 1887. (Subgenus of *Tetramorium*.)

Type: *Tetramorium* (*Xiphomyrmex*) *kelleri* Forel (by present designation).

**Zacryptocerus** ASHMEAD. Canad. Ent., XXXVII, p. 384. 1905. (= *Cryptocerus*.)

Type: *Cryptocerus multistriatus* F. Smith (designated by Ashmead, but no such species exists).<sup>4</sup>

---

<sup>4</sup>I believe this name must be a clerical error for *C. clypeatus* Fabr., as Ashmead some years ago gave me a specimen of this ant labeled "Zacryptocerus."